SHOA

2025

SHOA

2 0 2 5



IDEACREATIVECONCEPTDISCOVERY

INDEX /

Legend / راهنما 02

Shoa Industrial Group / گروه صنعتی شعاع 03

Contents / فهرست مطالب 06

1/ Garden Lights / چراغ های حیاطی و پارکی 14

2 / Street Lights / چراغ های خیابانی 64

3 / Flood lights / پروژکتورها 70

4 / High Bay Lights / چراغ های صنعتی 88

5 / Inground Lights / چراغ های دفـنی 96

6 / Walk Lights / چراغ های زیر و کنار پله ای 106

7 / UnderWater Lights / چراغ های استخری و آب نما 114

8 / Wall Lights / چراغ های دیواری و دکوراتیو 120

9/ Mirror Lights / چراغ های بالا آیینه ای 138

10/ Lamps / لامـپ ها 146

11 / Sensors / سنسورها 150

12/ LED Rope Lights / ریسه ها 154

13/ Magnetic Lights /چراغ های مگنتی 164

14/ Ceiling Lights / چراغ های سقفی 194



Bases

- E27 — E27
- E14 — E14
- E40 — E40
- GU10 — GU10
- GU5.3 — GU5.3
- G12 — G12
- G13 — G13
- Rx7s — Rx7s
- 2xE27 — 2xE27
- 2xGU10 — 2xGU10

- 230V 50Hz — Voltage
- IP — Ingress Protection
- W — Wattage
- LUMENS — Luminous Flux
- 30° — Beam Angle
- 35,000h — Life Span
- CRI — Color Rendering Index
- PF — Power Factor
- Dimmable
- Working Temperature
- Motion Sensor — Motion Sensor
- Flicker FREE — No Flicker
- Strip Length

Color Temp.

- 1900K Amber — Amber
- 2700K Warm White — Warm White
- 3000K Warm White — Warm White
- 4000K Cool White — Cool White
- 5000K Daylight — Day Light
- 6000K Daylight — Day Light
- 6500K Daylight — Day Light

LED Color

- RGB — RGB Colors
- LED Color

گروه صنعتی شعاع با بیش از **70** سال تجربه در صنایع روشنایی، با برنامه ریزی و پاسخگویی به نیاز های گوناگون و ارائه کیفیت مناسب یکی از پرچم داران صنعت روشنایی در کشور بوده است.

این سازمان با بهره گیری از بخش های مختلفی همچون برشکاری با لیزر، خمکاری CNC، ماشین کاری،قالب سازی، پرس کاری، تزریق پلاستیک، شست و شو و رنگ، مونتاژ، طراحی، تحقیق و توسعه، کنترل کیفیت، آزمایشگاه های IP، الکترونیک و نورسنجی، انبار و لجستیک در سایت کارخانه و واحد های فروش،مهندسی روشنایی، مارکتینگ، طراحی و نور پردازی، مالی و خدمات پس از فروش و با بهره گیری از نیروی انسانی متخصص و متعهد، دست به تولیداتی بر اساس **استاندارد ملی ISIRI-5920** و **استاندارد بین المللی IEC-60598** در کنار **سیستم مدیریت ISO-9001** زده و توانسته سهم قابل توجهی از بازار داخلی و کشورهای همسایه را در بر بگیرد. امیدواریم با عنایت پروردگار و حمایت مصرف کنندگان در رسالت و ماموریت سازمانی خود قدم کوچکی برای خودکفایی کشور عزیزمان برداشته باشیم.

— Great things in business are never done by one person; they're done by a team of people —

COMPANY

COMPANY



CERTIFICATE

Quality Assessment Lia

Registration Certificate

ATTESTATION OF

COMPLIANCE

Order NO. : 20780658

Holder: Shoa Electric Alvand Co.

Head Office : No.604, Lalezaroo St., Tehran, Iran.
Factory Site: No.2563, 12th Koshavaran St., Elme Sina Blvd., Abbas Abad Industrial Town, Tehran, Iran.

Products Name: 1.Street Light 2.Flood Light 3.inground Light 4.Wall Light 5.LED Rope Light 6.Ceiling Mount Light 7.Recessed Downlight

This Attestation of Compliance is Hereby Issued to the Above Named Company.
The Test Result of This Report Relate Only Based on Annex 5 Self Testimony,
Self Certified and Technical File that Prepared by Company in Below Harmonized Standard :

2010/30/EC 2006/95/EC 2014/35/EU IEC 60598- 2- 2 IEC 60598- 2- 3 IEC 60598- 2- 5
IEC 60598- 2- 13 IEC 60598- 2- 21

This Device Has Been Shown to be in Compliance Only in Accordance with the Technical Files that Prepared by Company.

Date of Issue: 08-Jul-2021
Expiry Date: 08-Jul-2024

CE

www.qalcert.co.uk



Quality Assessment Lia

Registration Certificate

This Certificate Confirms that the Management Systems of

Shoa Electric Alvand Co.

Head Office : No.604, Lalezaroo St., Tehran, Iran.

Factory Site: No.2563, 12th Koshavaran St., Elme Sina Blvd., Abbas Abad Industrial Town, Tehran, Iran.

Has Been Audited and Approved by Quality Assessment Lia
To the Following Standards or Guidelines:

ISO 9001:2015
Quality Management System

The Approved Management System Apply to Following Scope :
Production of Light

EA Code: 19
NACE Code: 27

Original Approval: 08 Jul 2021
First Surveillance: 08 Jul 2022
Certificate Expiry: 08 Jul 2024
Certificate Number: 20780657

Quality
QAL Certification
ISO 9001

On behalf of Quality Assessment Lia

www.qalcert.co.uk

IEC 60598

ISO 9001:2015

ISIRI 5920

1 Garden Lights

16/ SH-1405 SH-1406 SH-1407
16/ SH-1408
17/ SH-2401 SH-2402 SH-2403
17/ SH-2404
18/ SH-6401 SH-6402 SH-6403
18/ SH-6404
19/ SH-5401 SH-5402 SH-5403

19/ SH-5404
20/ SH-16101 SH-16102 SH-16103
20/ SH-16104
22/ SH-1634 SH-1636 SH-1638
22/ SH-1603
22/ SH-1635
22/ SH-1631
22/ SH-1632

23/ SH-1620
23/ SH-1621
23/ SH-1621-2
26/ SH-1634-Diamond SH-1636-Diamond SH-1638-Diamond
26/ SH-1603-Diamond
26/ SH-1635-Diamond
26/ SH-1631-Diamond
26/ SH-1632-Diamond

27/ SH-1620-Diamond
27/ SH-1621-Diamond
27/ SH-1621-2-Diamond
30/ SH-1734 SH-1736 SH-1738
30/ SH-1703
30/ SH-1735
30/ SH-1731
30/ SH-1732

31/ SH-1720
31/ SH-1721
31/ SH-1721-2
34/ SH-1623
34/ SH-1623-Diamond
34/ SH-1723
36/ SH-4502 SH-4504 SH-4506 SH-4509
36/ SH-4505

36/ SH-4503
36/ SH-4501
40/ SH-4520
40/ SH-4521
40/ SH-4522
42/ SH-4505-Lx
42/ SH-4525
44/ SH-Luna-03 SH-Luna-04

45/ SH-Celine-03 SH-Celine-04
46/ SH-LX31-Cobra
46/ SH-LX42-Cobra
46/ SH-LX62-Cobra
47/ SH-LX31-UFO
47/ SH-LX42-UFO
47/ SH-LX62-UFO
48/ SH-ST7141 SH-ST7161

49/ SH-ST7142 SH-ST7162
50/ SH-AR9741 SH-AR9761
51/ SH-AR9742 SH-AR9762
52/ SH-7741 SH-7761
53/ SH-7742 SH-7762
54/ SH-Ab41 SH-Ab61
55/ SH-T42 SH-T52 SH-T62 SH-T82
56/ SH-S711 SH-S731 SH-S741



57/ SH-S732 SH-S742
58/ SH-S611 SH-S631 SH-S641 SH-S661
59/ SH-S642 SH-S662
60/ SH-S831 SH-S841 SH-S861
61/ SH-S842 SH-S862
62/ SH-V41 SH-V51 SH-V61 SH-V81
63/ SH-V42 SH-V52 SH-V62 SH-V82

2 Street Lights



66/ SH-7450-200W
66/ SH-7350-150W
66/ SH-7250-100W
66/ SH-7150-50W
67/ SH-8350-150W
67/ SH-8250-100W
67/ SH-8150-50W



68/ SH-LX-UFO-2xE27 SH-LX-UFO-RX7s SH-LX-UFO-LED-36W
69/ SH-1097-E27 SH-1097-50W SH-1097-250HPS

3 Flood Lights

72/ SH-1292
72/ SH-1290
72/ SH-1288
73/ SH-1010
74/ SH-1202
76/ SH-1397-10W
76/ SH-1398-3W

77/ SH-2507
77/ Spike
78/ SH-360D
80/ SH-1717-1W
82/ SH-1395-6LED
82/ SH-1395-12LED
82/ SH-1395-24LED
82/ SH-1395-36LED



83/ SH-5730-10W
83/ SH-5730-30W
83/ SH-5730-50W
83/ SH-5730-100W
84/ SH-4730-60W
84/ SH-4730-110W
84/ SH-4730-170W
84/ SH-4730-220W



85/ SH-4730-280W
85/ SH-4730-340W
86/ SH-4731M-110W
86/ SH-4731M-170W
86/ SH-4731M-220W

4 High bay Lights

90/ SH-4731-110W
90/ SH-4731-170w
91/ SH-4731-220w
92/ SH-PT-100 SH-PT-150 SH-PT-200
93/ SH-520G-20 SH-520G-16
93/ SH-PC22
94/ SH-6157-12PC

94/ SH-6157-20 95/ SH-6157-16 95/ SH-6157-16B 95/ SH-6157-18B

5 Inground Lights

98/ SH-1009-C 98/ SH-1009-S 99/ SH-1289-C 99/ SH-1289-S 100/ SH-1291-C 100/ SH-1291-S 101/ SH-1293-C

101/ SH-1293-S 102/ SH-2003-14C 102/ SH-2003-14S 104/ SH-1011 105/ SH-2003-14-24S 105/ SH-2003-14-44S

6 Walk Lights

108/ SH-AD1000-I 108/ SH-AD1000-F 110/ SH-3003 111/ SH-15104 112/ SH-3083 112/ SH-3087 112/ SH-3085

112/ SH-3079 112/ SH-3081

7 Underwater Lights

116/ SH-B4A0158 SH-B4A0106 116/ SH-B4XC0457 SH-B4XC0418 116/ SH-B4YB0657 SH-B4YB0618 117/ SH-B4ZB1257 SH-B4ZB1218 117/ SH-B4FB1857 SH-B4FB1818 118/ SH-B4B0657 SH-B4B0618 119/ TR-60-60W TR-150-150W TR-240-240W TR-300-300W

119/ SH-LH5001-12

8 Wall Lights

122/ SH-803 123/ SH-13105 123/ SH-13107 124/ SH-8834 125/ SH-162-02 125/ SH-162-01 126/ SH-101

127/ SH-101M

128/ SH-4105

129/ SH-4106



130/ SH-8094

131/ SH-8093

132/ SH-6631-30CM
SH-6631-60CM
SH-6631-90CM

133/ SH-6630-24W
SH-6630-48W

134/ SH-2622

135/ SH-100N

136/ SH-102

137/ SH-1820

9 Mirror Lights

140/ SH-1660-18W

141/ SH-1690-30W

142/ SH-630A-12W



143/ SH-666A-12W

145/ SH-770A-10W

10 Lamps

148/ SH-GU10-7W-35°
SH-7W-35°
SH-7W-105°

148/ SH-MR16-5W

148/ SH-GU10-5W

148/ SH-A60-C-7W
SH-A60-F-7W

148/ SH-G45-C-4/5W
SH-G45-F-4/5W

148/ SH-G45-C-E14-4/5W
SH-G45-F-E14-4/5W

148/ SH-C35L-C-4W
SH-C35L-F-4W

148/ SH-50W-E27

148/ SH-ST64-11W

149/ SH-MH-250W
SH-HPS-250W

149/ SH-G12-150W

149/ HQL-TS-2000W

149/ SH-MH-400W
SH-HPS-400W

149/ SH-MH-2000W

149/ SH-MH-1000W
SH-HPS-1000W

11 Sensors

152/ SH-003F

153/ SH-0031

12 Led Rope Lights

156/ Neon Flex

156/ Mini Neon Flex



157/ SH-Mini Flat 1010

158/ SH-2835-12V



159/ SH-2835-120

160/ SH-2835-180

161/ SH - PL-100-10M



162 / SH-FLEX500-RGB

163 / SH-FLEX500

13 Magnetic Lights

166/ SH-MPSC-2M

167/ SH-MPRC-2M

168/ SH-MTC10-2M


169/ SH-MFC6-2M

169/ SH-MGC6-2M


170/ SH-MPR-2M

171/ SH-MPS-2M

172/ SH-MT10-2M
SH-MT25-2M

173/ SH-MG12-2M
SH-MG18-2M

174/ SH-MGA6-2M
SH-MGA12-2M

175/ SH-MFA6-2M
SH-MFA12-2M


176/ SH-MP10-2M


176/ SH-MP20-2M

177/ SH-MF10-2M
SH-MF20-2M
SH-MF30-2M
SH-MF40-2M


178/ SH-MCWRC-2M


178/ SH-MSRC-2M


178/ SH-MSCC-2M

178/ SH-MD100-2M
SH-MD200-2M

178/ SH-MEAC-2M


178/ SH-MEDC-2M


179/ SH-MCC3W-2M


179/ SH-MSCC4W-2M


179/ SH-MCC4W-2M


179/ SH-MCCRC-2M


179/ SH-MWCRC-2M


179/ SH-MSCC3W-2M

181/
SH-MG-Track-BK-2M


182/ SH-MG-05-HG300


182/ SH-MG-FX-1000
SH-MG-FX-2000

183/ SH-MG-04-10w-R
SH-MG-05-R-HG-100


183/ SH-MG-05-E-150


184/ SH-MG-01-6W
SH-MG-01-12W
SH-MG-01-18W
SH-MG-01-24W


185/ SH-MG-02-230F
SH-MG-02-600F
SH-MG-02-900F


186/
SH-MG-03-Linear-5W
SH-MG-03-Linear-10W

187/
SH-MG-03-Multi-6W
SH-MG-03-Multi-12W

188/ SH-MG-04-9w-TR
SH-MG-04-18w-TR

188/ SH-MG-04-2x9w-TR


189/ SH-MG-04-3x2W

189/ SH-MG-04-C-80
SH-MG-04-C-ADJ-80


190/ SH-MG-04-20w-F


190/ SH-MG-04-9w-G


192/ SH-T26-100W-DR
SH-T26-200W-DR


192/ SH-T26-Box


193/ SH-T26-A-L


193/ SH-T26-A-LV


193/ SH-T26-A-T


193/ SH-T26-A-X


193/ SH-ULT-T26-A-I

14 Ceiling Lights

196/ SH-DL439-10W
SH-DL436-20W
SH-DL437-30W


198/ SH-449-10W
SH-446-20W

199/ SH-2205-7W
SH-2205-12W

200/ SH-2606S
SH-2605S

200/ SH-2606
SH-2605


201/ SH-4416-7W

202/ SH-5016-7W

202/ SH-4016-7W
202/ SH-3016-5W
203/ SH-5016S-7W
203/ SH-4016S-7W
203/ SH-3016S-5W
204/ SH-5017-20W
204/ SH-4017-15W
204/ SH-3017-9W

205/ SH-5017S-20W
205/ SH-4017S-15W
205/ SH-3017S-9W
206/ SH-2017-6W
206/ SH-5018-20W
207/ SH-WG1617-5W
208/ SH-7025S SH-7025
209/ SH-ML10021-42W SH-ML10021S-42W

210/ SH-1006F-6W SH-1012F-12W
211/ SH-ML1006R-6W SH-ML1012R-12W
212/ SH-456-15W
213/ SH-ML4022-20W SH-ML6022-40W
214/ SH-4118-14W
215/ SH-1890-30W
216/ SH-305R-24W
217/ SH-XT304M-8W

217/ SH-XT304M-14W
217/ SH-XT304M-20W
218/ SH-6802-6W
218/ SH-6802-12W
218/ SH-6802-18W
219/ SH-6802-24W
219/ SH-6802-48W
220/ SH-6804-48W

222/ SH-1115-18W SH-1115-24W SH-1115-36W SH-1115-50W
223/ SH-1075-18W SH-1075-50W
224/ SH-1115S-18W
225/ SH-230M
226/ SH-2612S
226/ SH-2612
227/ Pendant
227/ Mount Ceiling

227/ SH-60x60-40W SH-60x60-54W
228/ SH-06H-06-18W
228/ SH-06H-12-36W
229/ SH-236J
230/ SH-1811
231/ SH-1811S
232/ SH-1811M
233/ SH-1814

234/ SH-1814M
235/ SH-1814S
236/ SH-1813
238/ SH-2020-7W
238/ SH-3020-9W
238/ SH-4020-15W
238/ SH-6020-20W
238/ SH-8020-30W

239/ SH-2021
240/ SH-2050
241/ SH-2051
242/ SH-A925
243/ SH-A275
244/ SH-2532-12W
244/ SH-551-4W
245/ SH-AL568-12W



245/ SH-LJ661-1-9W 246/ SH-704-12W 247/ SH-LJ661-3-12W 248/ SH-6801-6W 248/ SH-6801-12W 249/ SH-6801-18W 249/ SH-6801-24W 250/ SH-6803-6W



250/ SH-6803-12W 251/ SH-6803-18W 251/ SH-6803-24W 252/ SH-10A-01 252/ SH-10A-03 252/ SH-10A-06 254/ SH-AL2512-7W 254/ SH-AL4029-15W

254/ SH-AL5029-30W 254/ SH-AL6029-40W 254/ SH-AL8029-50W 255/ SH-AL6701-36W 255/ SH-AL6702-2x36W 255/ SH-AL6703-3x36W 256/ SH-AL934-30W 257/ SH-53-15W SH-53-30W

258/ SH-1029 259/ SH-918 260/ SH-917S 261/ SH-917 262/ SH-920 263/ SH-6101 263/ SH-6102 263/ SH-6103

264/ SH-6301 264/ SH-6302 264/ SH-6303 265/ SH-6201 265/ SH-6202 265/ SH-6203 266/ SH-916D 268/ SH-4402



268/ SH-2202 269/ SH-2201 269/ SH-3301 269/ SH-4401

CONTENTS

Garden lights enhance the beauty of outdoor spaces, creating a magical ambiance for evening gatherings or quiet moments. They also provide safety and security by illuminating pathways and deterring potential intruders, making your garden a more inviting and secure place to enjoy.

1 Garden Lights

Venus

750

SH-1408



1900

1150

800

SH-1407



SH-1406





SH-1405





COLOR
9W LED
E27
Warm White 3000K
IP54
230V 50Hz
Class I

Gr 940

SH-2404



Gr 970

Gr 1630

Gr 2380

SH-2401



SH-2402



SH-2403



E27 | 9W LED | IP54 | Warm White 3000K | Class I | 230V 50Hz

Onyx

Gr 890

SH-6404







Gr 1900



Gr 1470



Gr 1100

SH-6403



SH-6402





SH-6401





No Flicker
25,000h
OSRAM LED
CRI> 90
12W
Warm White 3000K
IP65
230V 50Hz
Class I

9W

Gr 840

SH-5404



9W

Gr 900

20W

Gr 1500

25W

Gr 2230

SH-5401



SH-5402



SH-5403



25,000h

CRI> 80

IP54

Cool White 4000K

Class I

230V 50Hz

Cubic

Gr 4500

SH-16104



Gr 8570

Gr 5030

Gr 2870

SH-16103 SH-16102 SH-16101





Modern Classic

IP44 · Gr 1980

SH-1603



IPX3 · Gr 2100

SH-1631



IPX3 · Gr 2500

SH-1632



IPX3 · Gr 1880

SH-1635



IP44 · Gr 3500

SH-1638



IP44 · Gr 2600

SH-1636



IP44 · Gr 2155

SH-1634



Warm White 3000K · 7 W LED · E27 · 230V 50Hz · Class I

www.shoaco.com

SH-1621-2	SH-1621	SH-1620







Modern Classic

Diamond Modern Classic

SH-1603 - Diamond	SH-1631-Diamond	SH-1632-Diamond	SH-1635-Diamond









SH-1638 -Diamond	SH-1636-Diamond	SH-1634-Diamond









www.shoaco.com

SH-1621-2-Diamond



SH-1621-Diamond



SH-1620-Diamond



Diamond Modern Classic

Diamond Modern Classic

Floral Modern Classic

IP44 · Gr 1650

SH-1703



IPX3 · Gr 1575

SH-1731



IPX3 · Gr 2000

SH-1732



IPX3 · Gr 1820

SH-1735



IP44 · Gr 3020

SH-1738



IP44 · Gr 2600

SH-1736



IP44 · Gr 1670

SH-1734



Warm White 3000K · 9 W LED · E27 · 230V 50Hz · Class I

www.shoaco.com

SH-1721-2	SH-1721	SH-1720







Floral Modern Classic

Modern Classic Family

SH-1623	SH-1623-Diamond	SH-1723









Classic

IP44 | Gr 2100

IPX3 | Gr 2000

IPX3 | Gr 1750

SH-4503	SH-4501	SH-4505







IP44 | Gr 4045

IP44 | Gr 3350

IP44 | Gr 2600

IP44 | Gr 2045

SH-4509	SH-4506	SH-4504	SH-4502









E27

Class I

230V 50Hz

IPX3

Gr 1750

IPX3

Gr 2000

IP44

Gr 2100

SH-4505



SH-4501



SH-4503



IP44

Gr 2045

IP44

Gr 2600

IP44

Gr 3350

IP44

Gr 4045

SH-4502



SH-4504



SH-4506



SH-4509



E27

Class I

230V 50Hz

www.shoaco.com

Classic

Classic

SH-4520	SH-4521	SH-4522



IP44

Gr 5000

SH-4522	SH-4521	SH-4520







E27

Class I

230V 50Hz

Classic



21000

11000

SH-4525



SH-LX-4505



IPX3 E27 230V 50Hz Class I

Luna



SH-Luna-04 SH-Luna-03

SH-9990



SH-9989

SH-Celine-03 SH-Celine-04



LX-Cobra



SH-7150-50W

SH-7250-100W

SH-7350-150W

SH-LX62-Cobra	SH-LX42-Cobra	SH-LX31-Cobra





SH-LX-UFO-2XE27

SH-LX-UFO-RX7s



SH - LX-UFO-LED -36W

SH-LX31-UFO



SH-LX42-UFO



SH-LX62-UFO



IP 54

Class I

230V 50Hz

www.shoaco.com

ST

SH-7150-50W

SH-7250-100W

SH-7350-150W

SH-ST7161	SH-ST7141







SH-7150-50W

SH-7250-100W

SH-7350-150W

SH-ST7142



SH-ST7162



www.shoaco.com

AR97

SH-7150-50W

SH-7250-100W

SH-7350-150W

SH-AR9761	SH-AR9741





IP 65

Warm White 3000K

Daylight 6000K

230V 50Hz

Class I

SH-7150-50W

SH-7250-100W

SH-7350-150W

SH-AR9742



SH-AR9762



www.shoaco.com

Cane

SH-7150-50W

SH-7250-100W

SH-7350-150W

SH-7761 SH-7741



IP 65

Warm White 3000K

Daylight 6000K

230V 50Hz

Class I

SH-7150-50W

SH-7250-100W

SH-7350-150W



SH-7742	SH-7762





Abstract





SH-7150-50W

SH-7250-100W

SH-7350-150W

SH-AB61



SH-AB41





SH-4730-60W

SH-4730-110W

SH-4730-170W

SH-4730-220W

SH-4730-280W

SH-4730-340W



SH -T82



SH -T62



SH -T52



SH -T42



S7



2700 LUMENS
24W

2700 LUMENS
36W

2700 LUMENS
24W



660 LUMENS
6W

SH-S741	SH-S731	SH-S711









IP 65
Warm White 3000K
Daylight 6000K
230V 50Hz
Class I

www.shoaco.com



5400 LUMENS

48W



5400 LUMENS

48W

5400 LUMENS

72W

SH-S732



SH-S742





IP 65

Daylight 6000K

Warm White 3000K

Class I

230V 50Hz

S6



14600 LUMENS
110W
7900 LUMENS
60W



7900 LUMENS
60W

660 LUMENS
6W

SH-S641	SH-S631	SH-S611



IP 65
Warm White 3000K
Daylight 6000K
230V 50Hz
Class I







SH-S642	SH-S662





www.shoaco.com

S8

SH-S861	SH-S841	SH-S831





SH-S842



SH-S862



V

SH-V81	SH-V61	SH-V51	SH-V41











SH-V42	SH-V52	SH-V62	SH-V82















Street lights provide a sense of security and comfort for people walking or driving at night. They also contribute to the overall aesthetic appeal of a city or neighborhood, enhancing its ambiance and attractiveness.

2 Street Lights

SH-Cobra

SH-7450	SH-7350	SH-7250	SH-7150
420 × 1100 × Ø65	300 × 800 × Ø65	280 × 700 × Ø65	210 × 500 × Ø55



SH-Cobra-M



SH-8150	SH-8250	SH-8350



SH-UFO

Warm White 3000K

Cool White 4000K

3450 LUMENS

36W

SH-LX-UFO-LED-36W

Rx7s

70W ~ 150W

SH-LX-UFO-RX7s

2xE27

SH-LX-UFO-2xE27



Class I

IP 54

230V 50Hz

www.shoaco.com

250W

E40

SH-1097-250HPS

CRI> 70

Warm White 3000K

Daylight 6000K

50W

3300 LUMENS

SH-1097-50W

E27

SH-1097-E27



6300

IP 55

230V 50Hz

www.shoaco.com

Flood lights are essential for illuminating large outdoor areas such as sports fields, parking lots, and building facades, ensuring safety and visibility in dimly lit environments. Their powerful and wide-reaching beams help deter criminal activity and provide a sense of security for both property owners and the public.

3 Flood Lights

Outdoor LED Spotlights



1320 LUMENS
12W
Gr 970

770 LUMENS
7W
No Flicker
Gr 525

270 LUMENS
3W
No Flicker
Gr 270

SH-1292	SH-1290	SH-1288







bridgelux

25,000h
LED Color
CRI> 70
RGB
IP 65
30°
230V 50Hz
Class I



90 LUMENS

1W

No Flicker

Gr 202

SH-1010



bridgelux

25,000h

LED Color

CRI> 70

15°

IP 65

Class I

230V 50Hz

Outdoor LED Spotlights



640 LUMENS

8W

No Flicker

Gr 515

SH-1202



CREE

CRI> 80

Warm White 3000K

Daylight 6000K

24°

IP 66

Class I

230V 50Hz



Jet Light

400 LUMENS

10W

755 Gr

90 LUMENS

3W

170 Gr

SH-1397-10W	SH-1398-3W
	

CREE

LED Color

IP 65

5°

230V 50Hz

Class I

Big Small

Spike Light



GU10 GU5.3

Class I IP 65

12V 230V 50Hz

SH-2507



Trick Light

SH-360D





Mini Wallwasher



Gr 130

SH-1717-1W



bridgelux

LED Color

25,000h

No Flicker

CRI> 70

1W

IP 65

15°

230V 50Hz

80 LUMENS

Wallwasher Lights

660 LUMENS

Gr 615

6W

2700 LUMENS

Gr 1580

24W

SH-1395-6LED



SH-1395-24LED



1350 LUMENS

Gr 938

12W

2600 LUMENS

Gr 2260

36W

SH-1395-12LED



SH-1395-36LED



bridgelux

30,000h

LED Color

CRI> 70

No Flicker

IP 65

30°

230V 50Hz

Class I



1100 LUMENS

Gr 530

5750 LUMENS

Gr 2550

SH-5730-10W



SH-5730-50W



3450 LUMENS

Gr 1680

11000 LUMENS

Gr 4460

SH-5730-30W



SH-5730-100W



No Flicker

Warm White 3000K

Daylight 6000K

RGB

CRI> 80

120°

IP 65

Class I

230V 50Hz

Supernova

7500 LUMENS
60W
Gr 1500

SH-4730-60W



13750 LUMENS
110W
Gr 2500

SH-4730-110W



21000 LUMENS
170W
Gr 3600

SH-4730-170W



28000 LUMENS
220W
Gr 4700

SH-4730-220W



CRI> 70
No Flicker
IP 66
60°
Warm White 3000K
Daylight 6000K
230V 50Hz
Class I

www.shoaco.com

35000 LUMENS

280W

Gr 6300

41000 LUMENS

340W

Gr 7500

SH-4730-280W



SH-4730-340W



No Flicker | CRI> 70 | 60° | IP 66 | Daylight 6000K | Warm White 3000K | Class I | 230V 50Hz

www.shoaco.com

Supernova

14600 LUMENS

110W

Gr 2600

SH-4731M-110W



22600 LUMENS

170W

Gr 3600

29000 LUMENS

220W

Gr 4700

SH-4731M-170W



SH-4731M-220W



No Flicker

CRI> 70

IP 66

Warm White 3000K

230V 50Hz

30°

60°

90°

Daylight 6000K

Class I



High bay lights are crucial for providing sufficient and uniform lighting in large indoor spaces such as warehouses, factories, and gymnasiums, improving visibility and safety for workers and visitors. Their high output and energy efficiency help reduce operational costs and create a productive and well-lit environment for various industrial and commercial activities.

4 High Bay Lights

Linear High Bay Lights

14600 LUMENS

110W

Gr 2600

22600 LUMENS

170W

Gr 3600

SH-4731-110W



SH-4731-170W



CRI> 70

No Flicker

IP 66

90°

Warm White 3000K

Daylight 6000K

230V 50Hz

Class I



29000 LUMENS

220W

Gr 4700

SH-4731-220W



No Flicker

CRI> 70

90°

IP 66

Daylight 6000K

Warm White 3000K

Class I

230V 50Hz

High Bay Lights



90 °

SH-PT-100	SH-PT-150	SH-PT-200



CREE

120°

Dimmable

IP 65

Daylight 5000K

AC 100V 277V

CRI> 80



SH-PC22	SH-520G-20	SH-520G-16









High Bay Lights



SH-6157-12PC	SH-6157-20











SH-6157-16	SH-6157-16B	SH-6157-18B





Inground lights are essential for enhancing the aesthetics of outdoor spaces such as gardens, pathways, and driveways by providing subtle and ambient lighting. Their low profile design and durability make them ideal for highlighting architectural features, improving visibility, and creating a safe and inviting atmosphere in both residential and commercial settings.

5 Inground Lights

Inground Lights



SH-1009-C	SH-1009-S
	

bridgelux

30,000h | LED Color | No Flicker | CRI> 70 | 1W | Gr 202 | IP 66 | 15° | 90 LUMENS | 230V 50Hz | Class I | 12V

SH-1289-C	SH-1289-S



bridgelux

No Flicker | LED Color | 30,000h | Gr 385 | 3W | CRI> 70 | IP 66 | 30° | 270 LUMENS | 12V | Class I | 230V 50Hz

Inground Lights

SH-1291-C	SH-1291-S





bridgelux

30,000h | LED Color | CRI> 70 | 7W | No Flicker | IP 66 | 30° | 685 | 230V 50Hz | Class I | 770 LUMENS

SH-1293-C	SH-1293-S



bridgelux

LED Color

30,000h

GR 1312

12W

CRI> 70

1320 LUMENS

30°

IP 66

RGB

Class I

230V 50Hz

Inground Lights



SH-2003-14C	SH-2003-14S







Inground Lights



SH-1011



bridgelux

IP 65

LED Color

1W

Gr 177

230V 50Hz

Class I







Gr 500

Gr 525

SH-2003-14-24S	SH-2003-14-44S
	

GU10 | IP 66 | Class I | 230V 50Hz

Walk lights and stairs play a vital role in promoting accessibility and ensuring the safety of individuals navigating outdoor spaces, particularly in low-light conditions. By providing illumination and clear guidance, walk lights and stairs contribute to a more secure and user-friendly environment for pedestrians, reducing the risk of accidents and enhancing overall visibility.

6 Walk Lights

Walk Lights





Gr 450

Gr 465



SH-AD1000-I	SH-AD1000-F
	

CREE

No Flicker

50 LUMENS

60°

CRI> 80

3W

IP 65

Warm White 3000K

230V 50Hz

Class I

Walk Lights

SH-3003





SH-15104



CREE
No Flicker
Gr 300
3W
CRI> 80
Warm White 3000K
IP 65
Class I
230V 50Hz

Walk Lights

Gr 870



Gr 880

Gr 860

SH-3083



SH-3087



SH-3085



Gr 520

Gr 570

SH-3079



SH-3081



E27

IP 65

230V 50Hz

www.shoaco.com

Underwater lights enhance the aesthetic appeal of swimming pools, ponds, and water features, creating a mesmerizing ambiance. Additionally, underwater lights improve visibility in dark or murky water, promoting safety for swimmers and aquatic life.

7 Underwater Lights

Underwater Lights

3000K Warm White

RGB

RGB 4C Type

SH-B4A0158



SH-B4A0106



OSRAM LED

IP 68

3W

24V DC

30°

3000K Warm White

RGB

RGB 4C Type

SH-B4XC0457



SH-B4XC0418



OSRAM LED

IP 68

8W

24V DC

30°

3000K Warm White

RGB

RGB 4C Type

SH-B4YB0657



SH-B4YB0618



OSRAM LED

IP 68

12W

24V DC

30°

RGB

3000K Warm White

SH-B4ZB1218	SH-B4ZB1257





OSRAM LED

24W

IP 68

30°

24V DC

RGB

3000K Warm White

SH-B4FB1818	SH-B4FB1857





OSRAM LED

36W

IP 68

30°

24V DC

Underwater Lights

SH-B4B0657	SH-B4B0618





IP 65 | 24V DC

TR-60-60W
TR-150-150W
TR-240-240W
TR-300-300W

SH-LH5001-12



GU5.3 | IP 68 | 12V DC

Wall lights provide ambient lighting that can enhance the atmosphere and mood of a room, creating a warm and inviting space. They also serve as functional lighting, illuminating specific areas or highlighting architectural features, adding both style and practicality to a room's design.

8 Wall Lights

Wall Lights



SH-803





www.shoaco.com

bridgelux

3W

206

CREE

12W

450

SH-13105	SH-13107





CRI> 80

No Flicker

Warm White 3000K

IP 65

Class I

230V 50Hz

Wall Lights



SH-8834







www.shoaco.com

2xGU10

Gr 800

GU10

Gr 645

SH-162-02	SH-162-01





IP 54

Class I

230V 50Hz

Wall Lights



SH-101







SH-101M


80
80
26

No Flicker
Gr 112
3W
CRI> 80
Warm White 3000K
IP 54
Class I
230V 50Hz

110

508

SH-4105


160
180
100


No Flicker
GR 440
360 LUMENS
CRI> 80
6W
IP 54
Warm White 3000K
230V 50Hz
Class I

SH-4106





www.shoaco.com

Wall Lights



SH-8094



No Flicker

CRI> 80

12W

IP 65

Warm White 3000K

230V 50Hz

1100 LUMENS



SH-8093



No Flicker
12W
CRI> 80
Warm White 3000K
IP 65
1100 LUMENS
230V 50Hz

www.shoaco.com

Wall Lights

36W

390 LUMENS

Gr 1950

SH-6631-90CM

24W

260 LUMENS

Gr 1330

SH-6631-60CM

12W

130 LUMENS

Gr 675

SH-6631-30CM







bridgelux

180°

No Flicker

CRI> 80

Warm White 3000K

IP 65

Class I

250V 50Hz

650 LUMENS

Gr 1750

2600 LUMENS

Gr 3500

SH-6630-24W	SH-6630-48W
	

No Flicker

CRI> 80

Warm White 3000K

IP 65

Class I

230V 50Hz

Wall Lights

SH-2622



IP 54
Gr 710
230V 50Hz
E27

SH-100N



www.shoaco.com

Wall Lights



SH-102







SH-1820



Order Quantity: nx300cm



Mirror lights are essential for providing even and flattering illumination for tasks like applying makeup or grooming. They can also enhance the aesthetics of a space, adding a touch of elegance and sophistication to a room's decor.

9 Mirror Lights

Mirror Lights

SH-1660-18W



No Flicker
CRI> 80
Gr 645
IP 4X
Cool White 4000K
Class II
230V 50Hz

SH-1690-30W



No Flicker

Gr 1400

CRI> 80

Cool White 4000K

IP 4X

230V 50Hz

Class II

Mirror Lights

SH-630A-12W



SH-666A-12W


595
140
60

IP20
700 LUMENS
4000K Cool White
Gr 320
12W
25,000h
220-240V 50-60Hz



SH-770A-10W


585
68
120

IP20
800 LUMENS
4000K Cool White
Gr 600
10W
25,000h
220-240V 50-60Hz

Lamps provide both functional lighting and aesthetic appeal, making them essential for creating a warm and inviting atmosphere in any space. The right choice of lamps can enhance the overall decor of a room, adding style and personality to the design.

10 Lamps

Lamps

Gr 20 | 105°

SH-7W -105°

Gr 20 | 35°

SH-7W-35°

Dimmable | Gr 20 | 35°

GU10 - 7W- 35° -DIM

CRI> 80 | 6000K Daylight | No Flicker | 4000K Cool White | 700 LUMENS | 3000K Warm White | GU10

No Flicker | 12V | 6000K Daylight | 5W | 4000K Cool White | 35° | 3000K Warm White | GU5.3

SH-MR16-5W

5W | No Flicker | 35° | 230V 50Hz | GU10

SH-GU10-5W

6000K Daylight | 4000K Cool White | 800 LUMENS | 2700K Warm White | E27

E27 | 450 LUMENS | 2700K Warm White

E14 | 450 LUMENS | 2700K Warm White

SH-A60-C-7W
SH-A60-F-7W

SH - G45-C-4/5W
SH - G45-F-4/5W

SH - G45-C-E14-4/5W
SH - G45-F-E14-4/5W

25,000h | 360°

360° | 25,000h | Dimmable | 450 LUMENS | 3000K Warm White | E14

bridgelux

200° | 30,000h | 5000K Daylight | 4350 LUMENS | 3000K Warm White | E27

E27 | 1369 LUMENS | 2700K Warm White

SH-C35L-C-4W
SH-C35L-F-4W

SH-50W-E27

SH-ST64-11W

www.shoaco.com

SH-HPS-250W

SH-MH-250W

SH-G12-150W

HQL-TS-2000W

SH-MH-400W

SH-HPS-400W

SH-MH-2000W

SH-HPS-1000W

SH-MH-1000W

www.shoaco.com

Motion sensors help conserve energy by automatically turning off lights or appliances when no motion is detected, saving money on electricity bills.

11 Sensors

SH - 003F



Height of installation2.5-4.5M



1 X High resolution sensor
Detection range (22ºC)



Detection angle



SH - 0031



Tape lights are versatile and energy-efficient options for adding ambient lighting to various spaces, such as under cabinets or along staircases. Their flexibility and ease of installation make them a popular choice for both residential and commercial applications. As well as garland lights can create a warm and inviting atmosphere for parties, events, or everyday use, enhancing the ambiance of any setting.

12 Rope Lights

Neon Flex

Rail



Neon Flex



Mini Neon Flex

10W /M

300 LM/W

10W /M

200 LM/W

Neon Flex	Mini Neon Flex
	

LED Color

IP 65

50M

230V 50Hz

www.shoaco.com

Mini Flat Neon Flex

www.shoaco.com

10W /M

CRI> 80

50 MM

5M

24V

600 LM/M

IP 67

Cool White 4000K

Warm White 3000K

Amber 1900K

SH-Mini Flat 1010



Premium Tape Lights

SH-2835-12V



LED Color

7W /M

300 LM/M

5M

12V

LED Color
IP 65
600
LM/M
90°
9W
/M
1 M
20 CM
CRI>
75
Warm
White
3000K
Cool
White
4000K
Daylight
6000K

SH-2835-120


5
13

Premium Tape Lights

SH-2835-180



LED Color

IP 65

100°

1050 LM/M

10W /M

20CM

CRI> 75

Warm White 3000K

Cool White 4000K

Daylight 6000K

Warm White

RGB



Red



Blue

White

www.shoaco.com

SH-PL-100-10M



LED Color

IP 65

10M

230V
50Hz

Wallwasher Strip

Rail



SH-1404

SH-FLEX500-RGB



SPI IC No: SM16714P

Rail



SH-1404

SH-FLEX500



www.shoaco.com

Magnetic lights offer a sleek and modern lighting solution that can be easily installed and adjusted without the need for complex wiring or fixtures. Their slim design allows them to be discreetly mounted on various surfaces, providing versatile and customizable lighting options for different spaces.

13

Magnetic Lights

Curve Magnetic Track Lights

SH-MPSC-2M



Class I

48V

Curve Magnetic Track Lights

SH-MPRC-2M



Class I

48V

www.shoaco.com

Curve Magnetic Track Lights

10W

SH-MTC10-2M



OSRAM LED
48V
CRI> 90
800 LUMENS
IP20
Cool White 4000K
24°
50,000h

Curve Magnetic Track Lights



SH-MFC6-2M	SH-MGC6-2M
	

48V
OSRAM LED
480 LUMENS
CRI> 90
Cool White 4000K
IP20
50,000h
6W

www.shoaco.com

Magnetic Track Lights



SH-MPR-2M



Class I

IP20

48V

SH-MPS-2M



Class I

IP20

48V

Magnetic Lights

800 LUMENS

10W

2000 LUMENS

25W

SH-MT10-2M SH-MT25-2M





OSRAM LED

48V

CRI> 90

80 LUMENS

IP20

Cool White 4000K

24°

50,000h



1440 LUMENS

18W

960 LUMENS

12W

SH-MG18-2M



SH-MG12-2M



OSRAM LED

48V

CRI> 90

Cool White 4000K

IP20

50,000h

24°

Magnetic Lights

480 LUMENS

6W

960 LUMENS

12W

SH-MGA6-2M SH-MGA12-2M





OSRAM LED

CRI> 90

48V

IP20

Cool White 4000K

24°

50,000h

www.shoaco.com

960 LUMENS

12W

480 LUMENS

6W

SH-MFA12-2M	SH-MFA6-2M





OSRAM LED

48V

CRI> 90

Cool White 4000K

IP20

50,000h

120°

Magnetic Lights

800 LUMENS
10W

1600 LUMENS
20W

SH-MP10-2M SH-MP20-2M





OSRAM LED
CRI> 90
48V
IP20
Cool White 4000K
30°
50,000h

www.shoaco.com



800 LUMENS

10W

1600 LUMENS

20W

SH-MF10-2M



SH-MF20-2M



2400 LUMENS

30W

3200 LUMENS

40W

SH-MF30-2M



SH-MF40-2M



OSRAM LED

48V

CRI> 90

Cool White 4000K

IP20

50,000h

120°

Magnetic Lights





SH-MCWRC-2M

SH-MSRC-2M

SH-MSCC-2M







SH-MD200-2M SH-MD100-2M

SH-MEAC-2M

SH-MEDC-2M





www.shoaco.com

SH-MCC3W-2M



SH-MSCC4W-2M



SH-MCC4W-2M





SH-MCCRC-2M



SH-MWCRC-2M





SH-MSCC3W-2M



Ultra-Thin Magnetic Lights

SH-MG-Track-BK-2M



Class I

IP20

48V

Ultra-Thin Magnetic Lights

24°

630 LUMENS

7W

360°

2880 LUMENS

32W

360°

1440 LUMENS

16W

SH-MG-05-HG300	SH-MG-FX-2000	SH-MG-FX-1000





1000MM/2000MM

48V

CRI> 90

OSRAM LED

IP20

Cool White 4000K

Class I

35,000h

Ultra-Thin Magnetic Lights

360°
900 LUMENS
10W

360°
900 LUMENS
10W

360°
540 LUMENS
6W

SH-MG-04-10w-R	SH-MG-05-R-HG-100	SH-MG-05-E-150







CREE
48V
OSRAM LED
CRI> 90
Cool White 4000K
IP20
35,000h
Class I

Ultra-Thin Magnetic Lights



540 LUMENS

6W

SH-MG-01-6W



1080 LUMENS

12W

SH-MG-01-12w



1620 LUMENS

18W

SH-MG-01-18W



2160 LUMENS

24W

SH-MG-01-24W



48V
24°
CRI> 90
OSRAM LED
IP20
Cool White 4000K
Class I
35,000h

Ultra-Thin Magnetic Lights

1800 LUMENS

24W

SH-MG-02-600F



900 LUMENS

12W

SH-MG-02-230F



2700 LUMENS

30W

SH-MG-02-900F



100°
48V
OSRAM LED
CRI> 90
Cool White 4000K
IP20
35,000h
Class I

Ultra-Thin Magnetic Lights

SH-MG-03-Linear-5W	SH-MG-03-Linear-10W





Ultra-Thin Magnetic Lights

1080 LUMENS

12W

540 LUMENS

6W

SH-MG-03-Multi-12W	SH-MG-03-Multi-6W





24°
48V
OSRAM LED
CRI> 90
Cool White 4000K
IP20
35,000h
Class I

www.shoaco.com

Ultra-Thin Magnetic Lights

810 LUMENS

9W

1620 LUMENS

18W

1620 LUMENS

2x9W

SH-MG-04-9w-TR	SH-MG-04-18w-TR	SH-MG-04-2x9w-TR







48V
24°
CRI> 90
OSRAM LED
IP20
Cool White 4000K
Class I
35,000h

Ultra-Thin Magnetic Lights



540 LUMENS

6W

540 LUMENS

6W

540 LUMENS

6W

SH-MG-04-3x2W	SH-MG-04-C-ADJ-80	SH-MG-04-C-80









24°
48V
OSRAM LED
CRI> 90
Cool White 4000K
IP20
35,000h
Class I

www.shoaco.com

Ultra-Thin Magnetic Lights

180°
1800 LUMENS
20W

24°
810 LUMENS
9W

SH-MG-04-20w-F	SH-MG-04-9w-G





48V
CRI> 90
OSRAM LED
IP20
Cool White 4000K
Class I
35,000h

Ultra-Thin Magnetic Lights





SH-T26-100W-DR



SH-T26-200W-DR



SH-T26-Box



35,000h

48V

SH-T26-A-L	SH-T26-A-LV	SH-T26-A-T
		



SH-T26-A-X	SH-T26-A-I
	

Ceiling lights provide overall illumination to a room, making it easier to see and move around. They are important for creating a well-lit and inviting atmosphere in any space, and can be used in a variety of settings such as homes, offices, and commercial buildings. Ceiling mount lights are fixtures that are attached directly to the ceiling surface, while ceiling recessed lights are installed into a hollow opening in the ceiling, creating a seamless and flush appearance.

14 Ceiling Lights

Track Lights

Track-1M
Track-2M

Accessories

SH-DL437-30W	SH-DL436-20W	SH-DL439-10W



bridgelux

24°
Cool White 4000K
IP20
Warm White 3000K
CRI> 90
50,000h
220 240V

www.shoaco.com

Track-1M
Track-2M

Accessories

900 LUMENS | 1920 LUMENS | 2910 LUMENS

SH-DL439-10W	SH-DL436-20W	SH-DL437-30W



bridgelux

24°

IP20

Cool White 4000K

CRI> 90

Warm White 3000K

220 240V

50,000h

Adjustable Solo Lights

SH-446-20W



SH-449-10W



bridgelux

24°
IP20
Cool White 4000K
CRI> 90
Warm White 3000K
220-240V
50,000h

SH-2205-7W



SH-2205-12W



bridgelux

24°

IP20

Warm White 3000K

CRI> 90

50,000h

220-240V

Pendant & Ceiling Lights

SH-2606S SH-2605S SH-2606 SH-2605





GU10

Daylight 6000K | 7W

Cool White 4000K | CRI> 80

Warm White 3000K | No Flicker

Class I | 230V 50Hz



SH-4416-7W

400 LUMENS
IP 4X
GU10
Gr 600
Daylight 6000K
CRI> 80
Cool White 4000K
No Flicker
Warm White 3000K
230V 50Hz
Class I


110
122

Sun Lights

SH-5016-7W	SH-4016-7W	SH-3016-5W





SH-5016S-7W	SH-4016S-7W	SH-3016S-5W







www.shoaco.com

Moon Lights

SH-5017-20W	SH-4017-15W	SH-3017-9W





SH-5017S-20W	SH-4017S-15W	SH-3017S-9W







IP 4X

CRI> 80

Cool White 4000K

No Flicker

Warm White 3000K

230V 50Hz

Class I

Moon Light

350 LUMENS

7W

Gr 100

1600 LUMENS

20W

Gr 370

SH-2017-7W	SH-5018-20W





IP 4X

Cool White 4000K

CRI> 80

Warm White 3000K

No Flicker

Class I

230V 50Hz

Slim Sun Light



SH-WG1617-5W

bridgelux

IP 20

20°

375 LUMENS

Cool White 4000K

5W

Warm White 3000K

CRI> 82

230 240V

50,000h



Slim Sun Light

SH-7025S	SH-7025
	

bridgelux

IP 20

3200 LUMENS

120°

40W

Cool White 4000K

CRI> 85

190 250V

www.shoaco.com

Round LED Panel

SH-ML10021-42W	SH-ML10021S-42W

SAMSUNG

4074 LUMENS | IP 20 | 42W | 114° | CRI> 80 | Cool White 4000K | 50,000h | 230 240V



Ceiling Lights



960 LUMENS

12W



480 LUMENS

6W

SH-1012F-12W	SH-1006F-6W





bridgelux

24º

IP 20

Warm White 3000K

CRI> 80

220 240V

50,000h

www.shoaco.com

480 LUMENS
6W

960 LUMENS
12W

SH-ML1006R-6W	SH-ML1012R-12W





bridgelux

IP 20 | 38° | CRI> 80 | Warm White 3000K | 50,000h | 220 240V

Solo Light

SH-456-15W



bridgelux

24º

1425 LUMENS

15W

Cool White 4000K

IP 20

Warm White 3000K

CRI> 90

220 240V

50,000h

www.shoaco.com



SH-ML4022-20W	SH-ML6022-40W





bridgelux

IP 20

Cool White 4000K

CRI> 80

Warm White 3000K

50,000h

230V 50Hz

Pendant Light



SH-4118-14W



105°
Daylight 6000K
14W
Cool White 4000K
CRI> 80
Warm White 3000K
No Flicker
230V 50Hz
Class I



SH-1890-30W


500
MAX 1200
900


2500 LUMENS
IP 4X
30W
180°
CRI> 80
Cool White 4000K
Class II
230V 50Hz

Linear Pendant Light

SH-305R-24W



bridgelux

IP 20
24°
Daylight 6000K
2160 LUMENS
Cool White 4000K
24W
Warm White 3000K
CRI> 80
220 240V
50,000h

www.shoaco.com

www.shoaco.com



SH-XT304M-20W



SH-XT304M-14W



SH-XT304M-8W



Laser blade Lights



SH-6802-18W	SH-6802-12W	SH-6802-6W







bridgelux



Laser blade Lights

1920 LUMENS

1000 Gr

3840 LUMENS

2000 Gr

SH-6802-24W	SH-6802-48W





bridgelux

36° | IP 42 | CRI> 90 | Cool White 4000K | No Flicker | Warm White 3000K | 230V 50Hz | Class I

Pendant Laser blade Lights

3840 LUMENS

CRI 2000

SH-6804-48W



bridgelux

36° | IP 42 | CRI> 90 | Cool White 4000K | No Flicker | Warm White 3000K | 230V 50Hz | Class I

Pendant Laser blade Lights

Full Moon

5000 LUMENS

3600 LUMENS

2400 LUMENS

1800 LUMENS

SH-1115-50W	SH-1115-36W	SH-1115-24W	SH-1115-18W











Full Moon

SH-1075-18W	SH-1075-50W
	



Full Moon with Sensor

Microwave
Motion Sensor

SH-1115S-18W



IP 40

1800 LUMENS



Gr 285

SH-230M



Ceiling Lights

15W | Motion Sensor | Cool White 4000K | Gr 610

2xE27 | Gr 550

SH-2612S	SH-2612





IP 4X

230V 50Hz

Pendant

Mount Ceiling

5400 LUMENS
54W
2856

4800 LUMENS
40W
2630

SH-60x60-54W	SH-60x60-40W





IP 4X
CRI> 80
40,000h
Daylight 6000K
PF> 0.90
Warm White 3000K
No Flicker
100VAC 240V
Class I

Low Bay

www.shoaco.com

1700 LUMENS

18W

3400 LUMENS

36W

SH-06H-06-18W	SH-06H-12-36W





IP 65

Cool White 4000K

110°

230V 50Hz

30,000h

SH-236J



2175

IP 65

230V 50Hz

Pro-Linear

SH-1811





Order Quantity: nx50cm

4650 L/M | 50 W/M | IP 4X | CRI> 80 | 120° | Gr/m 2300 | Cool White 4000K | No Flicker | Class I | 230V 50Hz



www.shoaco.com

SH-1811S



Order Quantity: nx50cm

Pro-Linear

SH-1811M



Order Quantity: nx50cm





SH-1814





www.shoaco.com

Linear

SH-1814M



Order Quantity: nx50cm

SH-1814S





www.shoaco.com

Linear

SH-1813





Order Quantity: nx25cm

100°
IP 4X
No Flicker
2700 L/M
36 W/M
Cool White 4000K
CRI> 80
Warm White 3000K
Gr/m 1000
Class I
230V 50Hz

CHALLENGING

SMD Downlights

385 LUMENS

Gr 115

675 LUMENS

Gr 150

1350 LUMENS

Gr 234

SH-2020-7W



SH-3020-9W



SH-4020-15W



1900 LUMENS

Gr 333

2850 LUMENS

Gr 615

SH-6020-20W



SH-8020-30W



120°

Daylight 6000K

IP 43

Cool White 4000K

CRI> 80

Warm White 3000K

No Flicker

Class I

230V 50Hz

120°
240
IP 65
7W
385 LUMENS
CRI> 80
Daylight 6000K
No Flicker
Cool White 4000K
12V
Warm White 3000K
230V 50Hz
Class I

SH-2021


Cutout: Ø75
50
Ø112

Downlights

SH-2050



CREE

36°

Gr 160

IP 42

8W

720 LUMENS

CRI> 90

Cool White 4000K

No Flicker

Warm White 3000K

230V 50Hz

Class i

www.shoaco.com

bridgelux

90°

150 Gr

IP 42

8W

480 LUMENS

CRI> 80

Cool White 4000K

No Flicker

Warm White 3000K

230V 50Hz

Class I

SH-2051



Mini Downlights

SH-A925



CREE

75 LUMENS

1.5 W

GF 99

IP 20

27°

Warm White 3000K

CRI> 90

Class I

230V 50Hz

SH-A275

CREE

7 W

502 LUMENS

GF 182

IP 20

38°

Cool White 4000K

CRI> 90

Warm White 3000K

230V 50Hz

Class I



www.shoaco.com

Downlights



960 LUMENS

320 LUMENS

CRI> 80

SH-2532-12W	SH-551-4W





bridgelux

Cool White 4000K

IP 20

Warm White 3000K

CRI> 90

220 240V

50,000h

SH-AL568-12W	SH-LJ661-1-9W
	

bridgelux

IP 20

Cool White 4000K

CRI> 80

Warm White 3000K

50,000h

220 240V

Downlights

1080 LUMENS

SH-704-12W



bridgelux

CRI> 90

Warm White 3000K

IP 20

50,000h

230V 50Hz

864 LUMENS

SH-LJ661-3-12W



bridgelux

CRI> 80

Warm White 3000K

IP 20

50,000h

230V 50Hz

www.shoaco.com

Laser Blade Downlights

480 LUMENS

Gr 250

960 LUMENS

Gr 400

SH-6801-6W	SH-6801-12W





bridgelux

IP 42

36°

Cool White 4000K

CRI> 90

Warm White 3000K

No Flicker

Class I

230V 50Hz

www.shoaco.com

Laser Blade Downlights

1440 LUMENS

Gr 500

1920 LUMENS

Gr 650

SH-6801-18W	SH-6801-24W





bridgelux

36°
IP 42
CRI> 90
Cool White 4000K
No Flicker
Warm White 3000K
230V 50Hz
Class I

Laser Blade Trimless Downlights



480 LUMENS

GR 300



960 LUMENS

GR 600

SH-6803-6W	SH-6803-12W



bridgelux

IP 42

36°

Cool White 4000K

CRI> 90

Warm White 3000K

No Flicker

Class I

230V 50Hz

www.shoaco.com

Laser Blade Trimless Downlights

1440 LUMENS

Gr 850



1920 LUMENS

Gr 1100

SH-6803-18W	SH-6803-24W







bridgelux

36° | IP 42 | CRI> 90 | Cool White 4000K | No Flicker | Warm White 3000K | 230V 50Hz | Class I

Downlights

451 LUMENS

5W

SH-10A-01







Cutout: 55*55

1130 LUMENS

15W

SH-10A-03







Cutout: 145*55



2254 LUMENS

30W

SH-10A-06







Cutout: 280*55

CREE

Cool White 4000K

IP 20

Warm White 3000K

CRI> 80

220 240V

www.shoaco.com

COB Downlights

SH-AL2512-7W

SH-AL4029-15W

SH-AL5029-30W













SH-AL6029-40W

SH-AL8029-50W









bridgelux

Cool White 4000K | IP 20 | Warm White 3000K | CRI> 80 | 220 240V | 50,000h



3276 LUMENS

SH-AL6701-36W



6480 LUMENS

SH-AL6702-2x36W



9774 LUMENS

SH-AL6703-3x36W



bridgelux

IP 20 | Cool White 4000K | CRI> 80 | Warm White 3000K | 50,000h | 220 240V

www.shoaco.com

COB Downlights

2550 LUMENS

SH-AL934-30W



bridgelux

Cool White 4000K | IP 20
Warm White 3000K | CRI> 80
220 240V | 50,000h

45°

1300 LUMENS

30°

2500 LUMENS

SH-53-15W	SH-53-30W





CRI> 80

Cool White 4000K

240V

Downlight Frames

SH-1029



SH-918



115

GU5.3

GU10

Downlight Frames

SH-917S



105

GU5.3

GU10

SH-917



Gr 85

GU5.3

GU10

Downlight Frames

SH-920



Downlight Frames

SH-6101

Gr 100
GU5.3
GU10



SH-6102

Gr 200
GU5.3
GU10



SH-6103

Gr 300
GU5.3
GU10



www.shoaco.com

Downlight Frames

SH-6301



Gr 170
GU5.3
GU10

SH-6302



Gr 325
GU5.3
GU10

SH-6303



Gr 460
GU5.3
GU10

Downlight Frames

SH-6201

Gr 135
GU5.3
GU10



SH-6202

Gr 217
GU5.3
GU10



SH-6203

Gr 310
GU5.3
GU10



www.shoaco.com

Darklight Reflector

- Easy installation on most frame.
- Anti - glare

SH-916D



Gr 12
ABS
GU5.3
GU10

Downlight Frames

Plaster Frames

800 700

SH-4402	SH-2202
	



SH-2201	SH-3301	SH-4401
400	450	400







2024



www.shoaco.com @shoalighting shoalighting

SHOA

www.shoaco.com

shoalighting